Reliable Solutions for the Construction Market

From the roof to the basement - it is important to use materials that can withstand the most diverse weather conditions. There are very different demands on the materials used in the home and in commercial settings. At Norafin, we have developed high-quality, environmentally sustainable and durable components that meet your needs.

From roof construction to creating a liquid barrier, our technical nonwovens play a major role in withstanding even the most extreme environments.

Our durable nonwovens are environmentally friendly and can be recycled. They are characterized by their easy processing, while also being breathable and odorless. Depending on your needs, our nonwovens can be adapted for any requirement. Whether they need to be stiff and robust, soft and light, or fireproof –we are able to develop and deliver products to specifically meet your requirements.

For interior design market, we have created a line of products that are ecologically sustainable and biodegradable. Wallpaper, blinds and ceiling tiles made of our flax nonwovens give the interior of your home and office a natural look, while also being sound-absorbent.

Individual Solutions

Together with our customers and partners, we develop customized solutions made of different raw materials for today and for the future.

You are interested in a specific solution or you are looking for a strong partner for the realization of your idea? Please contact us. With our team of 20 engineers and technologists, our Know-How and our sophisticated technologies, we are the perfect partner.











SPECIAL NONWOVENS FOR VARIOUS BUILDING APPLICATIONS IN AND AROUND THE HOUSE

Solutions for Indoors Solutions for Roof, Cellar and Building Material 8 Roof Mounting Roof Ridge 9 Flat Roof Refurbishment Acoustic Nonwovens 1 Flax Wallpaper 73 g/m²; 100 PET; SL; flat **182 g/m²**; 100 PET; SL; flat 110 g/m²; 100 PET; SL; fine apertured **Window Shades** Green Roof **Celling Panels Protective Nonwovens** 120 g/m²; 100 Flax; SL; flat **30 g/m²**; 30 LYO; SL 75 g/m²; 70 VIS/ 30 PET; SL; extra apert 130 g/m²; 65 Flax/35 VIS; SL; Bubble 380 g/m²; 100 PA; SL; flat **Solutions for Solutions for** Outdoors Renovating 13 Sound Insulation 14 Cellar Insulation **Building Insulation** 5 Paint Nonwovens 6 Geotextile Material 110 g/m²; 100 PET; SL; coarse apertured 500 g/m²; 70 PLA/30 VIS; NP; flat **500 g/m²**; 80 PET/20 Bico; NP; flat