



Technical Nonwovens for Composite Structures

When developing nonwovens for composite structures, our focus is on performance and sustainability.

Whether for roller coatings, cable applications, body armor, or renewable energy sources, our high-quality nonwovens are increasingly used for a wide range of applications.

POWERFUL FIBER CHOICE

- **⊗** high-performance man-made (aramid) and natural fibers (flax, hemp) used for composite structures
- **Solution** flexibility regarding the fiber diameter and length

EXCELLENT MATERIAL CHARACTERISTICS

- **⊘** light-weight
- **flexible**, conformable
- *ઇ* tear-resistant and durable
- **⊘** homogeneous texture
- **⊘** rapid wet-out
- **⊘** easy to impregnate
- $igoremsize{orall}{}$ isotropic fiber orientation and strength in all directions
- **⊘** antistatic

PERFORMING PRODUCT OPTIONS

✓ increasing safety and material strength

excellent optical appearance and surface finish

intermediate volume fraction reinforcement

electrical conductivity

WIDE RANGE OF APPLICATIONS

motorsports / yachting

✓ leisure sports equipment

wire and cable applications

✓ roll covers

body armour and ballistic protection









PROCESS CAPABILITIES

Needlepunch Technology

Basis weight range: 60 – 1,000 g/m² Width upon request: max. 2.10 m

Spunlace Technology

Basis weight range: 15 - 750 g/m² Width upon request: max. 2.20 m





Johannes Loos

Senior Sales Manager Performance Line

Johannes.Loos@norafin.com

+49 3733 5507 204

+49 171 3352632



Frank Holenfelder

Sales Manager Performance Line

Frank.Holenfelder@norafin.com

+49 3733 5507 437

+49 151 15287345



Will Matthews

Senior Sales Manager Filtration and Cleaning Line USA

Will.Matthews@norafin.com

+1 828 435 7027

NO Composite 01/2025









Gewerbegebiet Nord 3 D-09456 Mildenau Phone +49 3733 5507 0 info@norafin.com www.norafin.de

Norafin Industries

(Germany) GmbH

Norafin (Americas) Inc.

111 School House Road Mills River, NC 28759

Phone +1 828 435 7000 info-us@norafin.com www.norafin.com